

Küppersbusch




Welcome.
Your Stage
Awaits.



For your
discerning taste.

Silent mastery, quiet luxury.





Focused on precise engineering and impeccable details.

A kitchen merging timeless perspectives with subtle attitudes.



Forming an irreverent classic signature.




Simple perfection speaks to uncompromising brilliance.



ökotherm® by Küppersbusch

This innovative system provides a steady energy flow for consistent low-power cooking, ensuring optimal heat distribution within the oven, enhancing cooking results, and reducing energy consumption.



Pyrolytic A+ built-in oven

BP6850.0S

70 litres built-in oven with ökotherm®,
5" TFT-Touch display and control



Highlights

- **Küppersbusch Individual Concept:**
Refine your culinary stage with the Küppersbusch Individual Concept. Select from a palette of eight exquisite finishes that silently celebrate your unique taste and elegance.
- **Küppersbusch ökotherm®:**
Discover the purity of cooking with ökotherm®—a catalytic converter that discreetly purifies, ensuring every cooking atmosphere is free from fumes and full of grace.

Features

- **Total functions: 25**
14 standard + 11 special
- **Automatic programs:**
Over 80 available
- **Customisable favourites:**
Save up to 56 cooking processes
- **Temperature control:**
Actual display and recommendations
- **Self-cleaning:**
Pyrolytic cleaning system, 3 levels
- **Removable full glass inner door:**
Quadruple glazing

Dimensions

- **Interior measurements (mm):**
Height 364 Width 475 Depth 402
- **Product measurements (mm):**
Height 539 Width 595 Depth 537 + 22
- **General measures:**
Net capacity (litres) 70 Gross capacity (litres) 71 Weight (Kg) 39



Pyrolytic built-in oven

BP6350.0S

70 litres built-in oven with ökotherm®, 5" TFT display and high-quality control knobs



Highlights

- **Küppersbusch ökotherm®:**
Discover the purity of cooking with ökotherm®—a catalytic converter that discreetly purifies, ensuring every cooking atmosphere is free from fumes and full of grace.
- **ökoEmailPlus:**
Preserve the impeccable look of your culinary canvas with ökoEmailPlus. Its ultra-smooth enamel, with a mere sweep of a cloth, ensures your oven remains pristine

Features

- | | |
|--|---|
| • Total functions:
10 | • Temperature control:
Actual display and recommendations |
| • Automatic programs:
10 | • Self-cleaning:
Pyrolytic cleaning system |
| • Customisable favourite:
Save 1 | • Removable full glass inner door:
Quadruple glazing |

Dimensions

- **Interior measurements (mm):**
Height 364 Width 475 Depth 402
- **Product measurements (mm):**
Height 539 Width 595 Depth 537 + 22
- **General measures:**
Net capacity (litres) 70 Gross capacity (litres) 71 Weight (Kg) 34





Compact microwave built-in oven

CBM6550.0S

43 litres compact microwave oven with ökotherm®, 3.9" TFT display and backlit touch control sensor



Highlights

- **Küppersbusch ökotherm®:**
Discover the purity of cooking with ökotherm®—a catalytic converter that discreetly purifies, ensuring every cooking atmosphere is free from fumes and full of grace.
- **40+ Automatic programs:**
Küppersbusch's automatic programs intuitively align with your epicurean desires—be it cakes, seafood, meats, vegetables, or desserts. Simply input the weight and desired doneness, and let the silent orchestration of perfection commence.

Features

- **Total functions:**
14 oven + 8 special + 2 microwave
- **Microwave power levels:**
10
- **Automatic programs:**
More than 40
- **Customisable favourite:**
Save up to 20
- **Temperature control:**
Actual display and recommendations
- **Full glass inner door:**
Triple layers

Dimensions

- **Interior measurements (mm):**
Height 232 Width 475 Depth 365
- **Product measurements (mm):**
Height 455 Width 595 Depth 540 + 22
- **General measures:**
Net capacity (litres) 43 Gross capacity (litres) 41 Weight (Kg) 36

Compact steam built-in oven

CBD6550.0S

43 litres compact steam oven with
öketherm®, 3.9" TFT display and backlit
touch control sensor



Highlights

- **Küppersbusch Individual Concept:**
Refine your culinary stage with the Küppersbusch Individual Concept. Select from a palette of eight exquisite finishes that silently celebrate your unique taste and elegance.
- **Steaming Precision:**
Master the subtle art of steaming with precise temperatures between 30° to 100°C. From delicate fish to vibrant vegetables, each dish quietly achieves gourmet perfection.

Features

- **Total oven functions:**
14 standard + 8 special
- **Total steam functions:**
6 standard + 9 special
- **Automatic programs:**
More than 40
- **External steam generator**
- **Customisable favourite:**
Save up to 20
- **Temperature control:**
Actual display and recommendations
- **Removable full glass inner door:**
Quadruple glazing


Dimensions

- **Interior measurements (mm):**
Height 229 Width 475 Depth 402
- **Product measurements (mm):**
Height 455 Width 595 Depth 540 + 22
- **General measures:**
Net capacity (litres) 44 Gross capacity (litres) 45 Weight (Kg) 34.2

Induction hob

KI9800.1MR

90cm induction hob with Miradur® ceramic glass surface & Bridge Function for flexible cooking zone combination



Highlights

- **Bridge Function:**
Unite front and rear zones with a touch for seamless use of larger cookware, embodying flexibility in your culinary repertoire.
- **Miradur® Ceramic Glass Finish:**
Experience enduring beauty with Scott Ceran's patented Miradur® finish, offering extreme scratch resistance for the rigors of daily gastronomic creations.

Features

- **3 automatic direct functions:**
Melting, Keep warm & Pasta cooking
- **Switch-off Memory:**
Recalls last settings for quick restart
- **GlideControl power levels:**
10 + Power booster
- **Holiday Shutdown:**
Limits operation time to ensure safety during extended absence
- **Pan and size detection**
- **Enhanced grilling with FlexiGrill**
accessory (Acc. no. 1303)
- **Residual heat indicator**

Dimensions



- **Product measurements (mm):**
Height 50 Width 900 Depth 510
- **6 Cooking zones (mm):**
210 x 190
- **General measures:**
Weight (Kg) 15.8
- **Electric connections:**
Maximum Nominal Power (W) 11100 Power rate (V) 220 - 240



CERAN Miradur®

Embodying durability and design, the SCHOTT CERAN Miradur® glass-ceramic cooktop is a marvel of modern kitchen innovation. Its patented hard-coating technology ensures both enduring beauty and superior scratch resistance, setting a new benchmark for performance in the culinary heart of your style and kitchen.





Ceiling canopy hood

DDL9830.0W

90cm ceiling canopy hood with glass panel rim suction and remote control



Highlights

- **Efficient Rim Suction:**
Features discreet rim suction technology with grease filters elegantly concealed behind a sleek panel. This innovative design enhances airflow speed and efficiency by narrowing the intake area.
- **A++ Energy Class:**
Delivers powerful, low-energy performance. Excelling in fan operation, grease filtration, and lighting, it sets a new standard in energy efficiency.

Features

- **Power levels:**
6, including high power setting
- **Extraction rate:**
Normal 634m³/h, Intense 808m³/h
- **Remote control with LED power level indicator**
- **FreshAir Function**
Automatically refresh kitchen air by periodically eliminating odours with efficient ventilation cycles
- **Filter saturation indicator**
- **Metal grease filter**

Dimensions

- **Product measurements (mm):**
Height 214 Width 900 Depth 600
- **General measures:**
Weight (Kg) 25

Classics reimagined for new experiences.




Küppersbusch



Induction hob + hood

KMI8590.0SR

80cm induction hob with integrated
downdraft hood



Highlights

- **Hob + Hood - The Perfect Combination:**
Experience seamless integration with two high-precision appliances. Enjoy an intuitive cooking environment where fumes and odors are instantly extracted, maintaining the clean air quality you deserve.
- **Küppersbusch Individual Concept:**
Refine your culinary stage with the Küppersbusch Individual Concept. Select from a palette of eight exquisite finishes that silently celebrate your unique taste and elegance.

Features

- **8 Automatic direct functions:**
Grilling, Pan frying, Deep frying, Simmering, Melting, Keep warm, Confit & Poaching
- **9 GlideControl induction power levels**
- **Bridge Function**
Combines cooking zones for maximum flexibility and larger cookware
- **Hood extraction rate:**
Max 601m³/h, Intense 627m³/h
- **Noise level**
Min 43dB, Max 65dB, Intense 66dB
- **Grease filter:**
Stainless steel, 10 layers
- **Ventilation grid included**

Dimensions

- **Product measurements (mm):**
Height 219 Width 800 Depth 510
- **6 Cooking zones (mm):**
210 x 190
- **General measures:**
Weight (Kg) 25
- **Electric connections:**
Max Nominal Power 7200(W) + 200(AH) Power rate (V) 220 - 240





Induction hob

KI8800.0GR

80cm induction hob with 2 flex zones on high-quality grey ceramic glass



Highlights

- **Total Surface Induction:**
Our total surface induction adapts to your culinary needs, offering flexible cooking zones that accommodate everything from large pots and plates to small grills.
- **Safety at a Touch:**
The discreet Stop-And-Go feature ensures that a quick tap is all it takes to safely suspend your cooking zones, granting you peace of mind for unexpected interruptions.

Features

- **3 automatic direct functions:**
Melting, Keep warm & Pasta cooking
- **Switch-off Memory:**
Recalls last settings for quick restart
- **GlideControl power levels:**
11
- **Holiday Shutdown:**
Limits operation time to ensure safety during extended absence
- **Pan and size detection**
- **Enhanced grilling with FlexiGrill**
accessory (Acc. no. 1303)
- **Residual heat indicator**

Dimensions

- **Product measurements (mm):**
Height 52 Width 798 Depth 518
- **4 Cooking zones (mm):**
210 x 190 / 2100 W
- **General measures:**
Weight (Kg) 13.5
- **Electric connections:**
Maximum Nominal Power (W) 7400 Power rate (V) 220 - 240

Induction hob

KI6800.0GR

60cm induction hob with 2 flex zones on high-quality grey ceramic glass



Highlights

- **Total Surface Induction:**
Our total surface induction adapts to your culinary needs, offering flexible cooking zones that accommodate everything from large pots and plates to small grills.
- **Safety at a Touch:**
The discreet Stop-And-Go feature ensures that a quick tap is all it takes to safely suspend your cooking zones, granting you peace of mind for unexpected interruptions.

Features

- **3 automatic direct functions:**
Melting, Keep warm & Pasta cooking
- **Switch-off Memory:**
Recalls last settings for quick restart
- **GlideControl power levels:**
11
- **Holiday Shutdown:**
Limits operation time to ensure safety during extended absence
- **Pan and size detection**
- **Enhanced grilling with FlexiGrill accessory (Acc. no. 1303)**
- **Residual heat indicator**

Dimensions

- **Product measurements (mm):**
Height 52 Width 598 Depth 518
- **4 Cooking zones (mm):**
210 x 190 / 2100 W
- **General measures:**
Weight (Kg) 10.5
- **Electric connections:**
Maximum Nominal Power (W) 7400 Power rate (V) 220 - 240






Modular induction hob

VKI3850.0SR

30cm VarioLine induction hob
with 4 cooking zones



Highlights

- **VarioLine:**
Craft your preferred culinary stage with the Küppersbusch VarioLine series, where you can mix and match cooktops of different sizes and types, all framed in sleek stainless steel for a harmonious kitchen aesthetic.
- **Automatic direct functions:**
Entrust every dish to the direction functions, which expertly maintain the ideal cooking temperatures tailored to your specific culinary needs, ensuring flawless results across all cooking methods.

Features

- **7 automatic direct functions:**
Keep warm, Pasta cooking, Poaching, Confit, Deep frying, Roasting & Grilling
- **Holiday Shutdown:**
Limits operation time to ensure safety during extended absence
- **GlideControl power levels:**
9 + Power booster
- **Bridge Function**
Combines cooking zones for maximum flexibility and larger cookware
- **Residual heat indicator**

Dimensions

- **Product measurements (mm):**
Height 53 Width 298 Depth 518
- **2 Cooking zones (mm):**
255 x 200 / 1700 W
- **General measures:**
Weight (Kg) 5.12
- **Electric connections:**
Maximum Nominal Power (W) 3600 Power rate (V) 220 - 240

Modular gas wok hob

GWS3811.0ED

30cm VarioLine single burner
gas on glass wok hob



Highlights

- **VarioLine:**
Craft your preferred culinary stage with the Küppersbusch VarioLine series, where you can mix and match cooktops of different sizes and types, all framed in sleek stainless steel for a harmonious kitchen aesthetic.
- **One-Hand Ignition:**
Activate your cooking zone with grace — a single press and turn of the control knob ignites the flame, exemplifying the effortless sophistication of electric hand-ignition.

Features

- Slimline burners
- Full safety device
- Cast iron pan support
- Black enamelled burner cap
- **KnobControl:**
Precise flame intensity control
- **1 wok burner (kW):**
6.0

Dimensions

- **Product measurements (mm):**
Height 57 Width 300 Depth 520
- **General measures:**
Weight (Kg) 8.1
- **Electric connections:**
Maximum Nominal Power (W) 6000 Power rate (V) 230 - 240

Modular gas hob

GKS3820.0ED

30cm VarioLine 2 burner
gas on glass hob



Highlights

- **VarioLine:**
Craft your preferred culinary stage with the Küppersbusch VarioLine series, where you can mix and match cooktops of different sizes and types, all framed in sleek stainless steel for a harmonious kitchen aesthetic.
- **One-Hand Ignition:**
Activate your cooking zone with grace — a single press and turn of the control knob ignites the flame, exemplifying the effortless sophistication of electric hand-ignition.

Features

- Slimline burners
- Full safety device
- Cast iron pan support
- Black enamelled burner cap
- **KnobControl:**
Precise flame intensity control
- **2 gas burner (kW):**
3.0 high speed
1.75 simmer

Dimensions

- **Product measurements (mm):**
Height 57 Width 300 Depth 520
- **General measures:**
Weight (Kg) 7.65
- **Electric connections:**
Maximum Nominal Power (W) 4750 Power rate (V) 230 - 240



Built-in no frost fridge-freezer

FKGF8551.0I

Built-in refrigerator with electronic
temperature control and touch sensors



Highlights

- **NoFrost Technology:**

NoFrost technology ensures your freezer remains free from ice build-up, eliminating the need for defrosting and maintaining optimal economic performance.

- **FastCooling Function:**

Activate the FastCooling function to quickly cool warm items placed in the fridge, preserving the temperature of existing contents. This function deactivates automatically after six hours for your convenience.

Features

- Total useable capacity (litres): 244
- Cooling section capacity (litres): 151
- 0°C ChillerZone capacity (litres): 26
- Freezer section capacity (litres): 67
- Reversible door hinges
- Defrost / Eco mode
- Transparent freezer drawers
- Wooden bottle rack
- Acoustic alarm
- Metallic backwall

Dimensions


- **Product measurements (mm):**
Height 1769 Width 550 545
- **General measures:**
Weight (Kg) 60
- **Electric connections:**
Power rate (V) 220 - 240



Built-in wine cooler

FWK4800.0S

Built-in wine cooler with
dual temperature zones (5-18°C)



Highlights


- **Küppersbusch Individual Concept:**
Refine your culinary stage with the Küppersbusch Individual Concept. Select from a palette of eight exquisite finishes that silently celebrate your unique taste and elegance.
- **Precise Dual-Zone Temperature Control:**
Maintains different wines at their ideal temperatures with two distinct zones, each adjustable in precise 1°C increments for optimal regulation.

Features

- Total capacity (bottles):
79 (Bordeaux bottles, 0.75 litres)
- 8 removeable pull-out wooden shelves
- Electronic temperature display and control with push buttons
- Black glass door with UV-protection
- Dynamic air circulation cooling system
- Water container included for additional humidity
- Connoisseur wine presentation with LED lighting
- Reversible door hinges

Dimensions

- Product measurements (mm):
Height 1230 Width 594 Depth 555
- General measures:
Weight (Kg) 52
- Electric connections:
Power rate (V) 220 - 240



Integrated dishwasher

G6805.1V

Fully integrated dishwasher with motor inverter and IonClean technology



Highlights


- **IonClean Technology**
Guarantees the highest hygiene right down to molecular level through the use of negative ions, eliminating bacteria and neutralising odours.
- **Whisper-Quiet Performance:**
Our dishwasher delivers impeccable cleaning results with an operation so quiet, it fades into the background.

Features

- **8 Dishwashing programs:**
Intensive 70°C, Glass care 40°C, Automatic 40°C - 65°C, Economy 50°C, Fast 35°C, 1 Hr 60°C, Flextronic, Pre-rinse
- **5 Special dishwashing programs:**
IonClean, Express, Half load, IntensiveClean, IntensiveDry
- **International place settings:** 15
- **Touch control operation with LED display**
- **Cutlery basket included**
- **Multiflex height-adjustable baskets and drawers**

Dimensions

- **Product measurements (mm):**
Height 818 Width 598 Depth 550
- **General measures:**
Weight (Kg) 40.6
- **Electric connections:**
Max Nominal Power (W) 2100 Power rate (V) 220 - 240



- 1 Established in 1875 by Friedrich Küppersbusch.
- 2 Europe's largest stove and oven manufacturing factory.
- 3 Global expansion by 1935 due to innovation and meticulous attention to detail.
- 4 Market leader in built-in kitchen appliances by the 1970s.

Küppersbusch Singapore
Experience Centre

50 Kaki Bukit Place, #01-01/02
Singapore 415926

Contact
+65 6734 2415

Website
www.kuppersbusch-sg.com



Küppersbusch